

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 12/02/2016

Revision date: 05/06/2015

Version: 10.0

572500

:

## MR JEYES BLEACH

	572500
SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: MR JEYES BLEACH
Product code	: 572500
Type of product	: Technical product
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: Thickened chlorine based cleaner and disinfectant
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety	/ data sheet
SELDEN RESEARCH LIMITED	STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM
	Tel: 01298 26226 Fax: 01298 26540 Email: safety@selden.co.uk
1.4. Emergency telephone number	
Emergency number	: Mon to Fri 8.30am to 5.00pm - 01298 26226
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance or	mixture
Classification according to Regulation (EC) Skin Corr. 1A H314	No. 1272/2008 [CLP]
Eye Dam. 1 H318	
Full text of H-phrases: see section 16	
2.2. Label elements	
Labelling according to Regulation (EC) No. Hazard pictograms (CLP)	1272/2008 [CLP]
	GHS05
Signal word (CLP) Hazardous ingredients	: Danger
•	: sodium hypochlorite, solution % Cl active
Hazard statements (CLP) Precautionary statements (CLP)	<ul> <li>H314 - Causes severe skin burns and eye damage</li> <li>P264 - Wash hands thoroughly after handling</li> </ul>
	P280 - Wear eye protection, protective gloves P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P315 - Get immediate medical advice/attention P405 - Store locked up

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mix	ture				
Name		Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hypoc active	hlorite, solution % Cl	(CAS No) 7681-52-9 (EC no) 231-668-3 (EC index no) 017-011-00-1	1 - 5	C; R34 R31 N; R50	Skin Corr. 1B, H314 Aquatic Acute 1, H400

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash with plenty of soap and water. Take off immediately all contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Immediately rinse with water for a prolonged period while holding the eyelids wide open. Get immediate medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Burns.
4.3. Indication of any immediate media	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the s	ubstance or mixture
Hazardous decomposition products in case of fire	: Corrosive vapours.
5.3. Advice for firefighters	
No additional information available	
SECTION 6: Accidental release me	asures
	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Use personal protective equipment as required.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	nent and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
6.4. Reference to other sections	
For further information refer to section 8: "Expo	sure controls/personal protection". For further information refer to section 13.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, include	
Technical measures	: Does not require any specific or particular technical measures.
Storage conditions	Keen container closed when not in use

### Safety Data Sheet

according to Regulation (EC) No. 453/2010

Incompatible materials

Special rules on packaging

#### 7.3. Specific end use(s)

#### No additional information available

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

- Materials for protective clothing
- Hand protection Eye protection
- : Protective gloves
- : Safety glasses
- : Not required for normal conditions of use

: Not required for normal conditions of use

: Not required for normal conditions of use



Skin and body protection

Respiratory protection

<b>SECTION 9: Physical and chemical</b>	properties
9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Colour	: light yellow.
Odour	: characteristic.
Odour threshold	: No data available
рН	: 12.8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.07
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	
No additional information available	
<b>SECTION 10: Stability and reactivity</b>	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable under normal conditions.	

Metals.Keep only in original container.

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

10.3.	Possibility of hazardous reactions
No addit	ional information available
10.4.	Conditions to avoid
No addit	ional information available
10.5.	Incompatible materials
metals.	
10.6.	Hazardous decomposition products

No additional information available

SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 12.8
Serious eye damage/irritation	: Causes serious eye damage. pH: 12.8
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
SECTION 12: Ecological information	
12.1. Toxicity	

No additional information available

12.2.	Persistence and degradability
No addit	ional information available
12.3.	Bioaccumulative potential
No addit	ional information available
12.4.	Mobility in soil
No addit	ional information available
12.5.	Results of PBT and vPvB assessment
No addit	ional information available
12.6.	Other adverse effects

No additional information available

## SECTION 13: Disposal considerations 13.1. Waste treatment methods

No additional information available

## **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 1760
UN-No. (IMDG)	: 1760
UN-No.(IATA)	: 1760
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: CORROSIVE LIQUID, N.O.S.
Proper Shipping Name (IATA)	: CORROSIVE LIQUID, N.O.S.
Transport document description (ADR)	: UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, SODIUM HYPOCHLORITE)), 8, III, (E)

MR JEYES BLEACH		572500
Safety Data Sheet		
ccording to Regulation (EC) No. 453/2010		
Transport document description (IMDG)	: UN 1760 CORROSIVE LIQUID, N.O.S., 8, III	
14.3. Transport hazard class(es) ADR		
Transport hazard class(es) (ADR)	: 8	
Danger labels (ADR)	: 8	
	8	
IMDG		
Transport hazard class(es) (IMDG)	: 8	
Danger labels (IMDG)	: 8	
ΙΑΤΑ	·	
Transport hazard class(es) (IATA)	: 8	
Hazard labels (IATA)	: 8	
14.4. Packing group		
Packing group (ADR)	: 111	
Packing group (IMDG)	: 111	
Packing group (IATA)	: 111	
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
Other information	: No supplementary information available	

## 14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: C9
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5L
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP1, TP28
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
Document generated @ 12/02/2016 14:18:12	

# Safety Data Sheet according to Regulation (EC) No. 453/2010

5-	725	$\cap \cap$
57	20	00

Prange plates	
	80
	1760
	1700
unnel restriction code (ADR)	: E
AC code	: 2X
PP code	: B
Transport by sea	
pecial provisions (IMDG)	: 223, 274
imited quantities (IMDG)	: 5L
xcepted quantities (IMDG)	: E1
acking instructions (IMDG)	: P001, LP01
3C packing instructions (IMDG)	: IBC03
ank instructions (IMDG)	: T7
ank special provisions (IMDG)	: TP1, TP28
mS-No. (Fire)	: F-A
mS-No. (Spillage)	: S-B
towage category (IMDG)	: A
Air transport	
CA Excepted quantities (IATA)	: E1
CA Limited quantities (IATA)	: Y841
CA limited quantity max net quantity (IATA)	: 1L
CA packing instructions (IATA)	: 852
CA max net quantity (IATA)	: 5L
AO packing instructions (IATA)	: 856
AO max net quantity (IATA)	: 60L
pecial provisions (IATA)	: A3
RG code (IATA)	: 8L
	nex II of MARPOL 73/78 and the IBC Code
3C code	: Not applicable.
ECTION 15: Regulatory information	bn
	regulations/legislation specific for the substance or mixture
5.1.1. EU-Regulations	
contains no substances with Annex XVII restrie	ctions
ontains no substance on the REACH candida	ite list
contains no REACH Annex XIV substances	
5.1.2. National regulations	
	· Water becard close (MCK) 2 becardous to water (Close) firstian according to V/W/WC Annov
wVwS Annex reference	: Water hazard class (WGK) 2, hazardous to water (Classification according to VwVwS, Annex 4)
	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)
2th Ordinance Implementing the Federal	
2th Ordinance Implementing the Federal nmission Control Act - 12.BImSchV	
nmission Control Act - 12.BImSchV	
nmission Control Act - 12.BImSchV enmark	
nmission Control Act - 12.BImSchV enmark	: Young people below the age of 18 years are not allowed to use the product
nmission Control Act - 12.BImSchV Penmark Recommendations Danish Regulation	
nmission Control Act - 12.BImSchV Penmark Recommendations Danish Regulation	
nmission Control Act - 12.BImSchV Penmark Recommendations Danish Regulation 5.2. Chemical safety assessment lo additional information available	
nmission Control Act - 12.BImSchV Penmark Recommendations Danish Regulation 5.2. Chemical safety assessment	

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1

according to Regulation (EC) No. 453/2010

Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H400	Very toxic to aquatic life

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product